



depression-guide.com

COME REVOKE, RELIVE THE MOMENTS YOU HAVE LOST!!

# Drugs & Inhalants

*All what you need to know!!*

---

# TABLE OF CONTENTS

Ecstasy .....	3
Ketamine .....	3
Lysergide (LSD).....	4
Heroin.....	4
Methamphetamine .....	4
BZP and TFMPP.....	5
Inhalants .....	5
Mephedrone .....	5
Nimetazepam .....	6
Cocaine .....	6
Cannabis .....	6
Buprenorphine .....	7

*Substance abuse has been a very serious problem across the world. Most of the countries are losing their teenagers and adolescents due to the harmful drugs. Here is all you need to know about them.*

## **Ecstasy**

Ecstasy is also known as XTC, Pink Lady, Snow White, etc.

### **Dangers and Effects of Consumption**

Consuming Ecstasy has some of the drastic effects on the person. They are not limited to hallucinations, teeth grinding, kidney/liver/brain damage, Long term memory related issues, Impaired thinking and coordination, increased heart rate and blood pressure, etc.

### **Withdrawal Symptoms**

If the person consuming the drug suddenly or slowly leaves it, they start feeling the following withdrawal symptoms:

1. Difficulty in getting to sleep and staying asleep.
2. Uncontrolled fear, anxiety and sometimes depression.
3. Lost control of self, senses and reality in general.

## **Ketamine**

Ketamine is also known as K, Special K or Vitamin K.

### **Dangers and Effects of Consumption**

Consuming Ketamine has the following effects.

1. Distorted judgement and perception.
2. Impact on hearing, touch, smell and taste sensory organs.
3. Reduced ability to move and do things on your own.
4. Nose bleeding, smell sensitivity, etc.
5. Urinary bladder infection, urinary tract infection, gastric issues.
6. Feeling of confusion and you start to hallucinate.

### **Withdrawal Symptoms**

If the person consuming the drug suddenly or slowly leaves it, they start feeling the following withdrawal symptoms:

1. Insomnia
2. Intense Fatigue

3. Depression, anger and irritation.

### Lysergide (LSD)

Lysergide is also known as seed, micro, black sesame, trips or blotters.

#### Dangers and Effects of Consumption

Consuming Lysergide has the following effects.

1. The heart rate increases, so as the breathing and body temperature.
2. Impact on hearing, touch, smell and taste sensory organs.
3. Numbness across the body
4. Panic, Paranoia, Confusion and hallucinations.
5. No control over the thoughts of self.

### Heroin

Heroin is also known as Smack, Powder, Medicine, White, etc.

#### Dangers and Effects of Consumption

Consuming Heroin has some of the big effects on the person. They are not limited to reduced heart rate and respiration, stomach troubles

such as constipation, damage to liver/kidney, feeling low, tired and difficulty in concentrating.

#### Withdrawal Symptoms

Following are the withdrawal symptoms of leaving Heroin:

1. Difficulty in getting to sleep and staying asleep.
2. Irritation, tremors and body cramps.
3. Sweating and chilling sensations
4. Diarrhea, vomiting and other stomach symptoms
5. Watery eyes and dripping nose.

### Methamphetamine

Methamphetamine is also known as Glass, Crystal, Ice, etc.

#### Dangers and Effects of Consumption

Consuming Methamphetamine has the following effects.

1. Mood swings, confusion, dilemma, abnormal behavior, anxiety, irritability, etc
2. Liver, kidney, heart and nerve damage
3. Raised body temperature and heart rate
4. Fits and death risk

## Withdrawal Symptoms

If the person consuming the drug suddenly or slowly leaves it, they start feeling the following withdrawal symptoms:

1. No Sleep
2. Depression and irritation with anxiety
3. Very tired and hungry

## BZP and TFMPP

This is also known as Party pills.

### Dangers and Effects of Consumption

Consuming BZP has some of the big effects on the person. They are not limited to reduced agitation, heavy sweating, increased body temperature and heart rate, seizures, vomiting, etc.

### Withdrawal Symptoms

Following are the withdrawal symptoms of leaving BZP:

1. Sleeping troubles
2. Irritation, anger and depression
3. Extreme fatigue

## Inhalants

Inhalants are also known as Stim Gum, Solvent, Glue, etc.

### Dangers and Effects of Consumption

Consuming Inhalants has the following effects.

1. Long lasting damage to kidney, brain, liver, etc.
2. Memory loss and losing control over body reactions.
3. Bleeding, bruises, cramp, pain, bad cough are some of the effects.
4. Learning difficulty and clarity in understanding things.

### Withdrawal Symptoms

If the person consuming the drug suddenly or slowly leaves it, they start feeling the following withdrawal symptoms:

1. Anxiety and Depression along with Insomnia
2. Aggression, anger, etc.
3. Shaking body parts, nausea and dizziness.

## Mephedrone

This is also known as bubbles, Snow, Meow.

### Dangers and Effects of Consumption

Consuming Mephedrone has some of the big effects on the person. They are not limited to teeth grinding, hallucinations, chills, nausea, dizziness, etc.

## Nimetazepam

Nimetazepam is also known as Erimin-5.

### Dangers and Effects of Consumption

Consuming Nimetazepam has the following effects.

1. Loss of consciousness
2. Difficulty in bodily function coordination, speaking, moving, etc.
3. Poor memory and concentration

### Withdrawal Symptoms

If the person consuming the drug suddenly or slowly leaves it, they start feeling the following withdrawal symptoms:

1. Fits and mental confusion
2. Vomiting, sweating, shaking, stomach cramps, increased heart beat, etc.
3. Insomnia and anxiety/jittery feelings.

## Cocaine

This is also known as Coke, Snow, Crack, etc.

### Dangers and Effects of Consumption

Consuming Cocaine has some of the big effects on the person. They are not limited to aggressive behavior, irritability, increased heart rate, shaking, hallucination, nausea, etc.

### Withdrawal Symptoms

Following are the withdrawal symptoms of leaving Cocaine:

1. Loss of desire
2. Nausea and vomiting
3. Irritation, anger and depression
4. Extreme fatigue

## Cannabis

Cannabis is also known as Marijuana, Pot, Grass, Ganja, Joint, etc.

### Dangers and Effects of Consumption

Consuming Cannabis has the following effects.

1. Coordination issues, poor balance
2. Decline in motivation and drive
3. Slow body reactions

4. Lack of concentration
5. Anxiety, depression, confusion, paranoia, etc.
6. Distorted thinking and perception

4. Insomnia

Delirium tremens

### **Withdrawal Symptoms**

If the person consuming the drug suddenly or slowly leaves it, they start feeling the following withdrawal symptoms:

1. Tension
2. Irritability
3. Anxiety
4. Moodiness

### **Buprenorphine**

This is also known as Tec, Susu, etc.

### **Dangers and Effects of Consumption**

Consuming Buprenorphine has some of the big effects on the person. They are not limited to nausea, vomiting, sedation, constipation, light-headedness, etc.

### **Withdrawal Symptoms**

Following are the withdrawal symptoms of leaving Cocaine:

1. Cloudy consciousness
2. Severe tremors or seizures
3. Abdominal cramps, joints pain